

GINZBERG, V.V. (Leningrad, F-121, ul. Pisareva, 14, kv. 7); ZELIGMAN, S.S.
(Stalino (Donbass), Bul'var Pushkina, 25, kv. 28)

N.P. Gundobin (1860-1908) -- the founder of growth anatomy;
on the 100th anniversary of his birth. Arkh. anat. gist.
i obozr. 41 no. 8: 101-107 Ag '61. (MIRA 1966)

1. Leningradskoye otdeleniye Instituta etnografii AN SSSR
i kafedra normal'noy anatomii (zav. -- prof. K.D. Dovgyallo)
Stalinskogo meditsinskogo instituta.
(GUNDOBIN, NIKOLAI PETROVICH, 1860-1908)
(ANATOMY, HUMAN)

GINZBURG, V.V.; LEVIN, M.G.; YAKIMOV, V.P.

Preparing for the Seventh International Congress on Anthropology
and Ethnography. Arkh. anat. gist. i embr. 42 no.2:127-128 F '62.
(MIRA 15:2)

(ANTHROPOLOGY__CONGRESSES) (ETHNOLOGY__CONGRESSES)

GINZBURG

See also:

GINSEBURG

GINTSBURG

GINZBURG, A.; MENDEL'SON, V.

~~.....~~ Distribution of a magnetic field produced by a current-
carrying turn in the cavity between two coaxial cylinders.
Izv. AN Latv. SSR no.10:57-60 '63. (MIRA 17:1)

1. Institut fiziki AN Latviyskoy SSR.

AUTHOR: Ginzburg, A. SOV/68-58-12-14/25
TITLE: At the Zaporozh'ye Coking Works (Na Zaporozhskom
koksokhimicheskom zavode)
PERIODICAL: Koks i Khimiya, 1958, Nr 12, p 49 (USSR)
ABSTRACT: Recent developments on the works are enumerated.
1) Automatic centrifuge ATS-1200 for anthracene was
fitted; this permitted the production of a better
quality anthracene. 2) Introduction of an automatic
control of alkalinity in the neutraliser of the pyridine
plant. 3) Fitting of Nr 3 battery with automatic con-
trol was finished (no details). 4) The construction of
a tippler for 100 ton boats on the coal preparation
plant was finished. 5) Radio communication between coke
ovens and the coal preparation plant was introduced.
6) On the coal washery an automatic controller for the

Card 1/2

SOV/68-58-12-14/25

At the Zaporozh'ye Coking Works

pulp density and throughput is being tested. 7) An automatic control of the conveyor M8 (over the coke bunkers) operating on the basis of the degree of filling of the bunkers was introduced.

Card 2/2

SOV/68-59-8-27/32

AUTHOR: Ginzburg, A.

TITLE: On the Zaporozh'ye Coking Works (Na Zaporozhskom
koksokhimicheskom zavode)

PERIODICAL: Koks i khimiya, 1959, Nr 8, p 56 (USSR)

ABSTRACT: A number of improvements introduced on the above works
are mentioned: electric winch for transferring wagons
to and from the tippler and to the ramps where the
charging of ammonia sulphate and naphthalene takes
place; mechanisation of charging scrap into the
wagons; self-sealing valves on ascension pipes of
4 batteries.

Card 1/1

GINZBURG, A.

At the Zaporozh'ye By-Product Coking Plant. Koks i khim.
no.5:58 '60. (MIRA 13:7)
(Zaporozh'ye--Coke industry--By-products)

GINZBURG, A.

At the Zaporozh'ye Coal Chemical Plant. Koks i khim. no 1:60 '63.
(MIRA 16:2)
(Zaporozh'ye —Coke industry)

GINZBURG, A.; YEVROPIN, V.

The new journal "Ekonomika stroitel'stva. Vop. ekon. no.4:129-130
Ap '59. (MIRA 12:7)
(Construction industry—Periodicals)

GINZBURG, A. (Riga)

Increasing signal-to-noise ratio by the gradual multiplication
of signal voltage shifted in time. In Russian. Vestis Latv ak
no.3:65-70 '60. (KEAI 10:7)
(Voltage)

GINZBURG, A. (Riga); ZHEYGURS, B. [Zeigurs, B.] (Riga)

Nuclear magnetometer. In Russian. Vestis Latv ak no. 5:71-76 '60.
(EEAI 10:7)

1. Akademiya nauk Latvyskoy SSR, Institut fiziki.
(Magnetometer)

GINZBURG, A.

Changes should be made in the all-Union beaconage standard. Rech.
transp. 21 no.2:56 F '62. (MIRA 15:3)

1. Zamestitel' nachal'nika gidrotekhotdela Verkhne-Dneprovskogo
basseyenovogo upravleniya puti.
(Beacons--Standards)

GINZBURG, A.A.

USSR/Physical Chemistry - Colloid Chemistry.
Disperse Systems

B-14

Abs Jour : Referat Zhur - Khimiya, No 2, 1957, 4057

Author : Fridrikhsberg D.A., Ginzburg A.A.

Title : Investigation of Colloid-Chemical Processes in Clayey
Solutions and Their Use in Strengthening Borehole Walls

Orig Pub : Zh. prikl. khimii, 1956, 29, No 7, 996-1006

Abstract : By means of model experiments on filtration of clayey solutions (CS), hydrophilized by an addition of alkaline coal extract, through a layer of quartz sand of different degree of dispersion, a study has been made of the causes of CS losses during sinding of boreholes. On filtration of CS through soil having very small interstices a clayey crust is formed which has very low permeability to water as a result of which the CS is retained in the borehole whereas in soils with large interstices no such crust is formed and loss of water is associated,

Card 1/3

- 253 -

USSR/Physical Chemistry - Colloid Chemistry.
Disperse Systems

"APPROVED FOR RELEASE: Thursday, July 27, 2000

CIA-RDP86-00513R0005

Abs Jour : Referat Zhur - Khimiya, No 2, 1957, 4057

essentially, with a "removal of CS into the stratum". This removal of CS is shown to increase with increasing degree of dispersion and to decrease sharply with increase of static shear stress Θ . Minimum pressure P_0 at which begins a flow of CS through a layer of sand of thickness l , with an effective radius of particles R , is determined by the following equation derived by the authors:

$P_0 = (2\ell/0.414)(\Theta/R) \text{ dn/cm}^2$, which has been confirmed by results of the experiments with models. To decrease the removal of CS the authors propose to coagulate them directly within the sand layer by pumping a solution of a fixing agent into the borehole after loss of CS is detected. Effective fixing agents are 1% solutions of CaCl_2 and FeSO_4 , which increase the viscosity of CS

Card 2/3

- 254 -

USSR/Physical Chemistry - Colloid Chemistry.
Disperse Systems

B-14

Abs Jour : Referat Zhur - Khimiya, No 2, 1957, 4057

within the soil by 30-40 times; following fixation a layer of sand 8 cm thick retains CS up to a pressure of 0.25 atmosphere. In seacoast areas it is recommended to utilize as fixing agent sea water saturated with lime.

Card 3/3

- 255 -

S/080/61/034/011/017/020
D204/D301

AUTHOR: Ginzburg, A.A.

TITLE: Certain physico-chemical properties of rhenium carbonyl

PERIODICAL: Zhurnal prikladnoy khimii, v. 34, no. 11, 1961, 2569

TEXT: Thermal properties of $[\text{Re}(\text{CO})_5]_2$ were investigated as little work has so far been published in this field. The carbonyl was prepared by the action of CO on potassium or ammonium perrhenates at 260-270°C, under a pressure of 300-350 atm. The carbonyl was purified by shaking with a 5 % solution of NaOH and steam distillation. Spectral analysis showed the following percentages of impurities in the finished product: Zn 0.005, Al 0.0015, Cu 0.0012, Mg 0.0003, Mn 0.00006, Si 0.01 and Fe 0.0025. Specific gravity of the carbonyl was determined pycnometrically as $2.78 \pm 0.005 \text{ g/cm}^3$. Vapor pressures in the range 78.0 - 135.5°C were found to obey the relationship: $P = 10.68 - \frac{4152}{T}$ (where T is in °K). The latent Card 1/2 (mm Hg)

S/080/61/034/011/017/020

Certain physico-chemical properties ... D204/D301

heat of sublimation was calculated as 19.0 kcal/mole or 29.1 cal/g. On heating the carbonyl, thermograms exhibit a sharp break in the curve at 90.2 - 91.8°C (an unidentified phase-transformation), and a gentle discontinuity between 155.0 and 161.1°C which was ascribed to melting. Preliminary kinetic studies between 250° and 420° C showed that the thermal decomposition of $[\text{Re}(\text{CO})_5]_2$ is of first order below 315°C. The mean energy of activation in the range 250-420°C and the constant A in the Arrhenius equation were calculated as 18.6 kcal/mole and 2.1×10^6 respectively. The authors express their gratitude to N.A. Belozerskiy for suggesting the subject and for helpful advice. The thermograms were made using N.S. Kurnakov's pyrometer, in the Laboratoriya khimii termoelementov instituta populorovodnikov AN SSSR (Chemistry of the Thermoelements Laboratory, Semi-conductors Institute, AS USSR), and thanks are expressed to the laboratory director G.I. Shmelev and group leader S.S. Sinan. There are 1 figure and 2 non-Soviet-bloc references. The reference to the English-language publication reads as follows: Brit. Pat. 679, 906, 24th Sept. 1950.

SUBMITTED: April 10, 1961

Card 2/2

G I N Z B U R G, A. A.

(27)

The Second All-Union Conference on Rhenium, sponsored by the Institute of Metallurgy imeni A. A. Baykov, Academy of Sciences USSR, and the State Institute of Rare Metals, was held in Moscow 19-21 November 1962. A total of 335 representatives from 83 scientific institutions and industrial establishments participated. Among the reports presented were the following: autoclave extraction of Re from Cu concentrates (A. P. Zelikman and A. A. Peredereyev); Re extraction from the gaseous phase (V. P. Savrayev and N. L. Peysakhov); recovery of Re by sorption and ion interchange (V. I. Bibikova, V. V. Il'ichenko, K. B. Lebedev, G. Sh. Tyurekhodzhaeva, V. V. Yermilov, Ye. S. Raimbekov, and M. I. Filimonov); production of carbonyl Re (A. A. Ginzburg); electrolytic production of high-purity Re and electroplating with Re (Z. M. Sominskaya and A. A. Nikitina); Re coatings on refractory metals produced by thermal dissociation of Re chlorides (A. N. Zelikman and N. V. Baryshnikov); plastic deformation and thermomechanical treatment of Re (V. I. Karavaytsev and Yu. A. Sokolov); growth of Re single crystals and effect of O₂ on their properties (Ye. M. Savitskiy and G. Ye. Chuprikov); Re-Mo, Re-W, and Re-precious-metal alloys (Ye. M. Savitskiy, M. A. Tylkina, and K. B. Povarova); synthesis of Re nitrides, silicides, phosphides, and selenides (G. V. Samsonov, V. A. Obolonychik, and V. S. Neshpor); weldability of Re-Mo and Re-W alloys (V. V. D'yachenko, B. P. Morozov, and G. N. Klebanov); new fields of application for Re and Re alloys (M. A. Tylkina and Ye. M. Savitskiy); and Re-Mo alloy for thermocouples (S. K. Danishevskiy, Yu. A. Kocherzhinskiy, and G. B. Lapp). [WW]

Tsvetnyye metally, no. 4, Apr 1963, pp 92-93

L 25882-65 EWT(-)/EPF(n)-2/EPR/EWP(t)/EWP(k)/EWP(b) Ps-4/Pu-4 IJP(c)
JD/JG/MLK

ACCESSION NR: AT5002760

8/0000/64/000/000/0087/0089

AUTHOR: Ginzburg, A. A.

TITLE: Rhenium carbonyl and the preparation of rhenium metal from the gas phase

SOURCE: Vsesoyuznoye soveshchaniye po probleme rentiya, 2d. Moscow, 1962. Rentiy (Rhenium); trudy soveshchaniya. Moscow. Izd-vo Nauka, 1964, 87-89

TOPIC TAGS: rhenium, rhenium carbonyl, rhenium refining, gas phase refining, potassium perrhenate, rhenium deposition, tungsten wire, vacuum tube manufacture, rhenium coated tungsten

ABSTRACT: Rhenium carbonyl $\text{Re}_2(\text{CO})_{10}$ was synthesized by reacting CO with potassium perrhenate and ammonia at 250-270C and 300-350 atm. for an average of 17 hrs.; the maximum yield was 60%. The decomposition of $\text{Re}_2(\text{CO})_{10}$ on a hot tungsten wire 100 μ in diameter was then studied under laboratory conditions. The wire was heated by an electric current, and the experiments were carried out in a vacuum and in a stream of hydrogen and argon at various concentrations of rhenium carbonyl and various pressures in the system. The deposition rate of rhenium increased with decreasing pressure and was appreciable only in a vacuum. The adhesion of rhenium to tungsten increased after annealing at 1600C in hydrogen at atmospheric pressure. The thickness of the rhenium

Card 1/2

L 23772-65

ACCESSION NR: AT5002760

4
film was 3-7 μ . The experiments indicate that rhenium-coated tungsten wire is much more stable to the action of alundum at high temperatures than pure tungsten wire. Rhenium coating thus extends the life of vacuum tubes considerably. "V.S. Parkhomenko, I. L. Gandel'sman, V. G. Sokolova and others also took part in the work." Orig. art. has: 1 figure.

ASSOCIATION: none

SUBMITTED: 05Aug64

ENCL: 00

SUB CODE: MM, EC

NO REF SOV: 005

OTHER: 004

Card 2/2

GINZBURG, A. D.

25717. Generator Standar nykh Signalov. (Is eksponator 8-y Vsesoyuz. Zaoch. Radiovystavki). Radio, 1949, No. 8, s. 40-43.

SO: Letopis' Zhurnal'nykh Statey, Vol. 34, Moskva, 1949

GINZBURG A.D.

AUTHOR: None Given

117-58-5-24/24

TITLE: Conference on Construction and Utilization of Casting Equipment (Konferentsiya po konstruirovaniyu i ekspluatatsii liteynogo oborudovaniya)

PERIODICAL: Mashinostroitel', 1958, Nr 5, p 48 (USSR)

ABSTRACT: In December 1957, a scientific-research conference took place in Gor'kiy dealing with the construction and utilization of casting equipment. It was organized by the department of casting of the NTO MASHPROM. At the conference were 900 representatives from machine building plants, casting equipment plants, scientific research institutes, universities, etc. A total of 28 reports were given. I.P. Yegorenko, Candidate of Technical Sciences (NIILTMASH) reported on the actual state and development of the casting technique. P.N. Aksenov, Doctor of Technical Sciences (MAMI) reported on automated lines of sand-blowing moulding. L.M. Mariyenbakh, Doctor of Technical Sciences (MVMI) reported on the subject "Mechanized Drying Kilns". G.S. Zelichenko, Engineer (Leningrad Branch of Soyuzprommekhanizatsii) reported on "Automatic Lines of Molding in Casting Shops". A.D. Ginzburg (LF VPTI tyazhmash) reported on a self-constructed automatic machine for the pro-

Card 1/2

117-58-5-24/24

Conference on Construction and Utilization of Casting Equipment

duction of shell moulds. V.N. Bobrov (NIILITMASH) talked about automatic machines for moulding. A.V. Odinokov, Engineer, reported on modern sand blasting devices. G.S. Taburinskiy, Engineer (NIITLITMASH) reported on "Automatic Machines for the Production of Shell Molds and Cores". Z.D. Levin (Plant KATEK) spoke on "Projects and Utilization of Equipment for Mechanized Casting". I.V. Yefimov, Engineer, spoke on "Mechanization and Automation of the Technological Process of Casting With Meltable Models". G.R. Nikol'skiy, Engineer (NIILITMASH) spoke on hydraulic and sand-hydraulic cleaning of castings. B.G. Shpital'nyy (NIILITMASH) talked about the automatic moulding machine Nr 962b4.

AVAILABLE:
Card 2/2

Library of Congress

1. Casting equipment-Development
2. Casting equipment-Application

G. N. Z. B. R. G. A. D.

28(1)25(1) PAGE 1 BOOK EXPLANATION SOV/2831

Mekhanizatsiya i avtomatizatsiya proizvodstva i obrabotki metallov v liternom proizvodstve (Mechanization and automation of labor-consuming processes in foundry production) Moscow, Mashgiz, 1957. 228 p. Kravata slip inserted. 4,000 copies printed.

Revisors: K. N. Shchukin, Candidate of Technical Sciences; Ed. (title page); G. I. Kobylinskiy (Deceased); Ed. (inside book); A. M. Sokolov, Candidate of Technical Sciences; Tech. Ed.: O. V. Spravskaya; Managing Ed. for Literature on the Technology of Machinery Manufacture (Leningrad Division, Mashgiz): Ye. P. Munoz, Engineer.

PURPOSE: The book is intended for technical personnel in foundry and casting engaged in the mechanization and automation of industrial processes. It may also be used by students of institutions of higher technical education.

CONTENTS: The book deals with recent achievements in the mechanization and automation of time-and labor-consuming operations in foundries. Specific instances of mechanization and automation of foundry processes are described. The material presented in this book is divided into six parts, dealing with the following subjects: molding materials, mold and coremaking, casting methods, each part consists of a number of technical papers presented by several authors. The application of automation in the production of molds and cores to the mechanization and streamlining of specialized casting methods, such as investment casting and the use of shell molds. There are numerous diagrams showing automated and mechanized installations in foundries. Most of the material is based on recent work done at the "Krasny Aktyr" Plant. Some of the methods described appear to be in the experimental stage at that plant. The technical papers published in this book were originally presented at a technical conference of the Soviet machine industry in October-1957. No personalities are mentioned.

Yegorov, B. F. Constructions of New Molding Machines	68
Plomer, I. I. Installation for Modifying Cast Iron With Magnesium Under Pressure	113
Burlo, Ye. A. Redesign of Control Mechanisms for Electric-arc Furnaces	118
Volynskiy, V. M. Hydroblast Installation for Cleaning Castings	134
Zaslavskiy, M. Ya. Hydroblast Cleaning of Castings	162
Ginzburg, A. D. Overall Mechanization of Steel-casting Shops	167
Dol'berg, Z. A. Mechanization and Automation of Investment Casting	176
Belousov, M. M. Recent Non-Soviet Achievements in the Automation and Mechanization of Die Casting	188
Lupreyev, I. I., M. P. Borovskiy, G. F. Nikitin, A. L. Zayats, and S. I. Ponomarenko, Mechanization of the Production of Small High-precision Castings in Pressed Bakelite-base Snell Molds	202
Ginzburg, A. D. Semiautomatic Machine for Making Snell Molds	210

TEMKIN, O.N.; GINZBURG, A.G.; FLID, R.M.

Soluble complexes of unsaturated hydrocarbons with metal salts and their role in catalytic reactions. Part 4: Thermodynamics of the formation of soluble π -complexes of ethylene with Ag^+ and Cu^+ ions. Kin. i kat. 5 no. 2: 221-227 Mr-Apr '64.
(MIRA 17:8)

1. Moskovskiy institut tonkoy khimicheskoy tekhnologii imeni Lomonosova.

SETKINA, V.N., GINEBURG, A.G.; FELDM, E.I.; KUDACHOV, I.I.

Hydrogen isotope exchange in benz-substituted benzene. I. I. AN SSSR
158 no.3:671-674. 3 '64. (MIRA 17:10)

1. Institut elementoorganicheskikh soedineniy AN U.S.S.R. (Chern-
korrespondent AN SSSR (for Zursanov)).

GINZBURG, A. L.

GINZBURG, A. L.- "Activation of Pressed Yeast in Bread Baking." Min of Higher Education USSR, Moscow Technological Inst of Food Industry, Moscow, 1954
(Dissertations For Degree of Candidate of Technical Sciences)

SO: Knizhnaya Letopis' No. 26, June 1954, Moscow

AUERMAN, L.Ya.; GINZBURG, A.G.

Preliminary activation of compressed yeast in bread baking.

Trudy MTIPP 4:54-57 '56.

(MLRA 9:10)

(Yeast)

GINZBURG, A.G.; PROKHOROV, N.I.

Equipment for activating compressed yeast in Moscow bakeries. Khleb. i kond. prom. 1 no.3:34-37 Mr '57. (MIRA 10:4)

1. Moskovskiy tekhnologicheskii institut pishchevoy promyshlennosti (for Ginzburg). 2. Moskovskiy gorodskoy trest Rosglavkhleba (for Prokhorov).
(Yeast) (Moscow--Bakers and bakeries--Equipment and supplies)

GINZBURG, Arkadiy Grigor'yevich, dotsent; ZAGLODINA, P.I., spetsred.;
KURTINA, L.P., vedushchiy red.

[Controlling alcohol fermentation in the baking industry by means
of the AG-1 apparatus] Kontrol' spirtovogo brozheniia priborom
AG-1 v khlebopekarnoi promyshlennosti. Moskva, Gos.nauchno-issl.
in-t nauchn. i tekhn.informatsii, 1959. 30 p. (MIRA 13:5)
(Fermentation) (Bakers and bakeries)

GINZBURG, A. and J. Lelikyan

"From the experience of the clinic of the Yerevan Zooveterinary Institute"

SOURCE: Veterinariya, Vol 26, No 7, 1949, p 23

GINZBURG, A. G.

"On the measures of prevention and the fight against strangles of horses,"
Veterinariya 26(9), 1949, p. 25.

USSR, Ministry of Agriculture, Main Administration of animal Husbandry,
Veterinary Administration.

GINZBURG, A.

"Rostov Oblast Veterinary Bacteriological Laboratory." Veterinariia 27(8),
1950, p. 55.

GINZBURG, A. G.

From an article "Veterinary Servicing of Consolidated Kolkhozes" by A. G. Ginzburg.

One can find in every oblast many examples of the fine organization of zooveterinary institutions and their exemplary servicing of kolkhozes. In this respect the experience of the Central Zooveterinary Section in Leninskiy Rayon, Moscow Oblast, is representative. It aimed for serious achievements in veterinary and zootechnical servicing of kolkhozes. On the basis of the work of specialists in this progressive section, directed by Veterinarian D/G. KOBILYAKOV, development according to plan of all adopted measures was assumed, close association with active kolkhoz stock raisers and responsibility for opportunely equipping the rayon hospital, the animal room and other necessary apparatus of the zooveterinary section. Specialists in the section conducted monthly production meetings at which were discussed the next plans of preventive, veterinary-sanitary and zootechnical work. Eventually these plans are brought to every kolkhoz. In addition, the specialists of the section organize on every kolkhoz, monthly production meetings of workers of husbandry brigades with the participation of the kolkhoz leaders.

Veterinariya No 2, Moscow, 1951, pp. 7-10.

GINZBURG, A.G.

GOLOSHCHAPOV, Yu.N., redaktor; POLYAKOV, A.A., redaktor; IVANOV, A.D.,
sostavitel'. GINZBURG, A.G., sostavitel'; SMEL'NITSKIY, V.P.,
sostavitel'; ~~PEDOTOVA~~, A.P., tekhnicheskiy redaktor.

[Collection of regulations governing veterinary affairs. Veterinary
code of the U.S.S.R., statutes, directives, regulations, rules and
instructions] Sbornik rukovodivshchikh materialov po veterinarii.
Veterinarnyi ustav SSSR, poloshenia, instruktsii, nastavlenia,
pravila, ukazaniia. Moskva, Gos. izd-vo selkhoz. lit-ry. Vol. 1.
1954. 400 p. (MIRA 7:10)

(Veterinary laws and legislation)

USSR/Medicine - Veterinary, Textbook

Card 1/1

Author : Shishkov, V. and Ginzburg, A., Veterinary Physicians (reviewers)
Title : "Review of 'Laboratornyye issledovaniya v veterinarnoy klinicheskoy diagnostike' (Laboratory examinations in veterinary clinical diagnosis)" by P. S. Ionov et al
Periodical : Veterinariya, 31, 58-60, Apr 1954
Abstract : P. S. Ionov, V. G. Mukhin, A. I. Fedotov, and I. G. Sharabrin have intended this book primarily for students in veterinary colleges and to provide reference material for laboratory workers and practicing veterinary physicians. Importance of this book is enhanced by the fact that all previously published textbooks and manuals on the methods of clinical and laboratory diagnosis in veterinary medicine have been sold out and have become somewhat obsolete. Notable advances have been made in the past few years in the Soviet Union in the field of veterinary medicine; veterinary clinicists have contributed much new to the veterinary laboratory-clinical diagnostic methods. All these advances have been incorporated in this book. The book was published in 1952 by the State Publishing House of Sovhoz and Kolkhoz Literature, Moscow, 252 pp, Fifteen thousand copies.

Institution :

Submitted :

GINZBURG, A.G.

Skilfully present leading veterinary service in the press. Veterinariia
33 no.8:16-22 Ag '56. (MLRA 9:9)

1.Glavnyy veterinarnyy vrach Glavnogo upravleniya veterinarii Minister-
stva sel'skogo khozyaystva SSSR.
(Veterinary medicine)

GINZBURG, Aminadav Gasselevich

[Course in the organization of veterinary work] Kurs organizatsii
veterinarnogo dela. Moskva, Gos. izd-vo selkhoz. lit-ry, 1957.
293 p. (MIRA 1114)

(Veterinary medicine)

GINZBURG, A.G.
GINZBURG, A.G.

Veterinary local anti-aircraft defense measures. Veterinariia 34
no. 422-31 S '57. (MIRA 10:9)

1. Glavnyy veterinarnyy vrach Glavnogo upravleniya veterinarii
Ministerstva sel'skogo khozyaystva SSSR.
(Veterinary medicine) (Air defenses)

GINZBURG, Amipadav Gesselevich; IVANOV, Anatoliy Dmitriyevich; GOLOSHAPOV,
Yu.N., red.; SHAPIRO, A.Ya., red.; VESKOVA, Ye.I., tekhn.red.;
BALLOD, A.I., tekhn.red.

[Organization of veterinary medicine in the U.S.S.R.] Organizatsiia
veterinarnogo dela v SSSR. Pod red. IU.N.Goloshapova. Moskva,
Gos. izd-vo sel'khoz. lit-ry, 1958. 527 p. (MIRA 11:5)
(Veterinary medicine)

GINZBURG, A.G.; IVANOV, A.D.; BOYKO, A.A., red.; MALOVA, L.I., red.;
PECHENKIN, I.V., tekhn.red.

[Veterinary legislation; veterinary statutes, regulations, decrees, instructions, directives, and rules on veterinary medicine] Veterinarnoe zakonodatel'stv; veterinarnyi ustav SSSR, polozheniia, ukazaniia, instruktsii, nastavleniia i pravila po veterinarnomu delu. Pod red. A.A.Boiko. Moskva, Izd-vo M-va sel'.khoz.SSSR, 1959. 1230 p. (MIRA 13:5)

1. Russia (1923- U.S.S.R.) Laws, statutes, etc.
(Veterinary medicine--Laws and legislation)

GINZBURG, A.G.

Antibiotics in the service of stockbreeding. Veterinariia 36 no.11:
51-55 N '59 (MIRA 13:3)

1. Glavnyy vetrach-terapevt Gosudarstvennoy inspeksii po veterinarii Ministerstva sel'skogo khozyaystva SSSR.
(Antibiotics) (Stock and stockbreeding)

GINZBURG, A.

In the Ministry of Agriculture of the U.S.S.R. Veterinariia
36 no.6:87-90 Ja '59. (MIRA 12:10)
(Veterinary hygiene)

GINZBURG, A.G.

Enlarging the role of veterinary specialists in mobilizing
reserves in livestock production. Veterinariia 37 no.6:85-90
Je '60. (MIRA 16:7)

(Veterinary medicine)
(Stock and stockbreeding)

GINZBURG, A. G.

"To increase fertility and to improve the organization of artificial insemination of animals."

Veterinariya, Vol. 38, No. 4, 1961, p. 15.

GINZBURG, A.G.

Improve daily veterinary practices in the country. Veterinaria
38 no.7:11-23 J1 '61. (MIRA 16:8)

(Veterinary medicine--Congresses)

STEPANOV, I.S.; CHERNOSVITOV, Yu.L., nauchnyy red.; YERSHOV, A.D., glavnyy red.; GINZBURG, A.I., red.; ZVEREV, L.V., red.; ZUBAREV, N.N., red.; KREYTER, V.M., red.; MOKROUSOV, V.A., red.; SOLOV'YEV, D.V., red.; KHRUSHCHOV, N.A., red.; SHMANENKOV, I.V., red.; STOLYAROV, A.G., red.; IVANOVA, A.G., tekhn.red.

[Industrial requirements as to the quality of mineral raw materials; handbook for geologists] Trebovaniia promyshlennosti k kachestvu mineral'nogo syr'ia; spravochnik dlia geologov. Izd.2., perer. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po geol. i okhrane nedr. No.46. [Rubidium and cesium] Rubidii i tsezii. Nauchn.red. IU.L. Chernosvitov. 1960. 33 p. (MIRA 14:2)

1. Moscow. Vsesoyuznyy nauchno-issledovatel'skiy institut mineral'nogo syr'ya.
(Rubidium) (Cesium)

GINZBURG, A.G.

Increase fertility by improving the organization of artificial
insemination of animals. Veterinariia 38 no.12.1-2. Apr 1961
(MIRA 1861)

GINZBURG, A.G.

For a better organization of measures for the control of
uninfectious diseases of animals. Veterinariia 39 no.4:
57-60 Ap '62.

(MIRA 17:10)

1. Glavnyy veterinarnyy vrach-terapevt Upravleniya veterinarii
Ministerstva sel'skogo khozyaystva SSSR.

GINZBURG, A.G.

Improve the organization of the veterinary service, increase the effectiveness of veterinary measures on each collective and state farm. Veterinariia 39 no.6:13-20 Je '62 (MIRA 18:1)

1. Glavnyy veterinarnyy vrach-terapevt Upravleniya veterinarii Ministerstva sel'skogo khozyaystva SSSR.

GINZBURG, A.G.; GOLOSHCHAPOV, Yu.N., red ; KHMELEVSKIY, B.N., red.;
SOKOLOVA, N.N., tekhn. red.; TRUKHINA, O.N., tekhn. red.

[What should the collective-farm chairman and the state-farm
director know about veterinary regulations of the U.S.S.R.]
Chto nuzhno znat' predsedateliu kolkhoza i direktoru sov-
khoza o veterinarnom ustave SSSR. Pod red. IU.N.Goloshchapova.
Moskva, Sel'khozizdat, 1962. 63 p. (MIRA 15:6)
(Veterinary hygiene—Law and legislation)

GINZBURG, A. G. (Head Veterinary Surgeon and Therapist of the Veterinary Administration of the Ministry of Agriculture of USSR)

"For a better organization of measures of control of noncontagious diseases of animals"

Veterinariya, vol. 39, no. 4, April 1962 p. 57

GINZBURG, A. G. (Chief Veterinary Surgeon, Therapist at the Veterinary Department of Ministry of Agriculture of the USSR)

"To improve the organization of Veterinary medicine, to increase the effectiveness of veterinary measures at each collective and state farm"
Veterinariya, vol. 39, no. 6, June 1962 pp. 13

GINZBURG, Arinadav Gasselevich; IVANOV, Anatoliy Dmitriyevich;
DREVLANSKAYA, N.I., red.; DEYEVA, V.M., tekhn. red.

[Organization of veterinary service] Organizatsiia veterinar-
nogo dela. Moskva, Sel'khozizdat, 1962. 407 p.

(MIRA 15:12)

(Veterinary medicine)

GINZBURG, A.G.; IVANOV, A.D.; BOYKO, A.A., red.; KARTASHEVA, N.M., red.; PROKOF'YEVA, L.N., tekhn. red.; SOKOLOVA, N.M., tekhn. red.

[Veterinary legislation; statutes, regulations, instructions, directives and rules on veterinary medicine] Veterinarnoe zakonodatel'stvo; polozheniia, ukazaniia, instruktsii, nastavl'nii i pravila po veterinarnomu delu. Pod obshchei red. A.A. Boiko. Moskva, Sel'khozizdat, 1962. 358 p. (MIRA 16:4)

1. Russia (1923- U.S.S.R.) Laws, statutes, etc.
(Veterinary hygiene--Laws and legislation)
(Veterinarians--Legal status, laws, etc.)

GINZBURG, A.G.

Veterinary service and state veterinary control are to be
fully consolidated. Veterinariia 40 no.6:6-10 Je '63.
(MIRA 17:1)

GINZBURG, Aminadav Gesselevich; LEONOVA, T.S., red.

[Veterinary medicine in the service of man] Veterinariia
sluzhit cheloveku. Moskva, Izd-vl "Znanie," 1964. 53 p.
(Novoe v zhizni, nauke, tekhnike. V Serii; Sel'skoe kho-
ziaistvo, no.7) (MIRA 17:5)

GINZBURG, A.G.

Give every assistance to the intensification of animal husbandry.
Veterinariia 41 no.6:14-18 Je '64. (MIRA 18:6)

1. Glavnoye upravleniye veterinarii Ministerstva sel'skogo
khozyaystva SSSR.

GINZBURG, A.L., prof. (Dnepropetrovsk)

Direct adenotomy. Zhur. ush., nos. i gorl. bol. 20 no.4:61 J1-Ag
'60. (MIRA 14:6)

(ADENOIDS—SURGERY)

GINZBURG, A.I.

Dependence of the chemical composition and physical properties of sapropelites and saprohumolites on the content of alginate group microcomponents. Lit. 1 pol. iskop. no.5:51-67 S-0 '64. (MIRA 17:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy geologicheskii institut, Leningrad.

CO

Types of coal of the Vorgan deposits. A. I. Ginzburg.
Khim. Tsvetko Topika 8, 800-10(1937).—Six types of
coal are described and their petrographic and chem.
characteristics are given. A. A. Podgornov

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND ORDERS

PROCESSES AND PROPERTIES INDEX

COMMON ELEMENTS

OPEN

MATERIALS INDEX

1ST AND 2ND ORDERS

PROCESSES AND PROPERTIES INDEX

COMMON ELEMENTS

OPEN

MATERIALS INDEX

GINSBURG, A. I.

CA

8

Pollucite in pegmatites of the Kalbin Range (eastern Kazakhstan). A. I. Ginsburg. *Compt. rend. acad. sci. U.R.S.S.* 52, 315-7 (1966). Pollucite occurs in veins of the Ungursay and Krasno-Kordon deposits which belong to the Asu-Bulak Valley pegmatite field, 90 km. S.E. of the city of Ust-Kamenogorsk. The veins are in medium-grained porphyritic biotite granites of Variscan age. The pollucite, which is confined to axial parts of large swells together with lepidolite, tourmaline, andalusite, spodumene or petalite, white alkali beryl and a microcline mineral, occurs as large solid and granular masses. The presence of many gray or pinkish violet colored veinlets, usually parallel, is the most characteristic feature. Microscope study established 4 veinlet types, filled with: (1) small spodumene grains with tiny myrmekite inclusions of an unknown mineral; (2) various alteration products of spodumene (albite and encrypsite, albite and muscovite-cynochite, halloysite); (3) fine-scale of lepidolite; (4) fine-scale mica of the gillierite type. Analysis of an Ungursay pollucite: SiO₂ 48.08; Al₂O₃ 17.20; FeO 0.32; CaO 0.57; Li₂O 0.42; Na₂O 3.10; K₂O 1.00; Cs₂O 26.61; H₂O 2.79; total 100.01%; spectrographically, also traces of Be, Sn, Ga; sp. gr. 2.80; n_D^{20} 1.527. Pollucite from Krasno-Kordon has more Cs₂O (30.32%). Weathered specimens from Ungursay, in thin section, show the development of an argillaceous mineral, possibly kaolinite. Lepidolite specimens from these deposits show increased amts. of Cs (several %) and may thus serve as a clue in pollucite prospecting. F. W. C.

ASU-SLA METALLURGICAL LITERATURE CLASSIFICATION

REGIONAL STRATIGRAPHY

SYNOPSIS

DETAILS

INDEX

REFERENCES

NOTES

REMARKS

DATE

BY

FILE

NO.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

GINSBURG, A.I.

PROCESSES AND PROPERTIES INDEX

Thoreaulite a tin tantalite from the deposit of the Kalba Range. G. P. Barsanov and A. I. Ginsburgs. (Compt. rend. acad. sci. U.R.S.S. 54, 615 (1956) in English).—The thoreaulite from Ungursai deposit forms small irregular segregations in the mass of manganotantalite, generally not exceeding 1-2 sq. cm. in area. On rare occasions homogeneous pieces of thoreaulite up to 10 X 15 cm. in size have been observed. The color of the mineral is bright yellow to greenish yellow or brownish yellow, transitions from one color to the other being observed in the same specimen. The luster is a very intense adamantine, particularly on the perfect cleavage planes, along which the mineral readily splits into thin laminae. The mineral is brittle. The streak is light yellow. Sp. gr. 7.5; H 5.5-6. Cleavage is perfect along (100) (observed under microscope). The Ungursai deposit is situated in the Asu-Bulak pegmatite field of the Kalba Range in the upper course of the Asu-Bulak River, being represented by a series of pegmatite veins in the Variscan granites. The central part of the vein consists of large crystals of spodumene, quartz, and microcline, and in the deeper horizons of lepidolite, pollucite, and amblygonite. Detached pockets of reddish brown manganotantalite (62% Ta_2O_5 and 12% Cb_2O_5) and other Ta minerals intergrown with cassiterite have been found. Analyses are given.

John E. Husted

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

REGIONAL INDEX

DATE

1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000

GINZBURG, A.I.

Petalite in pegmatites of the Kalba Range and its alteration
products. Trudy Min.mus.no.1:60-73 '49. (MLRA 9:6)
(Kalba Range--Petalite)

GINZBURG, A.I.

Structure of mineral aggregates of complex lithia pegmatites.
Trudy Min.muz.no.1:74-86 '49. (MLRA 9:6)
(Pegmatites)

~~Montebrasite~~
Ginzburg, A. I.

3587

Montebrasite: its replacement reactions. A. I. Ginzburg. *Trudy Mineralog. Muraya, Akad. Nauk S.S.S.R.* No. 2, 72-85 (1950). -- Montebrasite, $\text{LiAlPO}_4(\text{OH})$, occurs in Li pegmatites of Central Asia; especially in the central parts of the Kalbinsk Chaias, R. Kazakhstan, in the basin of River Asu-Bulak, a tributary of the Tainta River. The mineral is assoc. with spodumene, microcline, triphylite, albite, a green mica, or lepidolite. Well-developed montebrasite crystals occur in a much younger mineralization; forms: (001), (111), (100), (021), (110), with a good cleavage parallel to (001). This younger type is assoc. with coarse scaly lepidolite, albite (cleavelandite), cassiterite, and polychromatic tourmaline. Lepidolite often replaces montebrasite with a characteristic resorption structure; but the inverse replacement is also observed in thin sections, with exterior zones of albite and quartz. Locally amblygonite-albite rocks are observed, with 50-60% of amblygonite, 40-50% albite, subordinate microcline, and cassiterite. Triphylite, included in montebrasite, is always replaced, with relief resorption structures. Very characteristic is the change of the primary Fe Li phosphate to Al Li phosphate, while the freed Fe^{++} ions are fixed again in the younger tourmaline. The typical twinning of montebrasite with 2 systems perpendicular to each other shows irregularly zigzag lamellar boundaries. This phenomenon suggests a replacement of montebrasite by fremontite (Na amblygonite), with leaching away in part of Li⁺, and a

21/12

strong albitization. Very peculiar are the reaction rims observed between microcline and montebrasite in which lepidolite is formed; Quensel (cf. C.A. 35, 1005) described similar reaction rims, but with Li pinit. Chem. analyses show that montebrasite of the Kalbinak Chain contains only 0.9-1.6% P, 1.5-2.0% Na₂O, and the Li₂O content is lower than in umblygonite. Complicated chem. reactions occur in late hydrothermal replacements of montebrasite by albite, with the formation of Ca Al phosphates, spherulitic dahllite, francellite, and apatite, and with the appearance of clayish kaolinite aggregates or even of halloysite. In the case of the albitization, Na montebrasite (fremontite) is formed as an intermediate product, which is not easily differentiated from the original montebrasite by ordinary optical methods. Hydrothermal solns. first remove from montebrasite the Li⁺ ions, and replace them by Ca⁺⁺. The dissolved Li is mineralized again in the late crystn. of scaly cockeite, or fine scaly lepidolite. The leaching of P₂O₅, which is observed in special cases, is characterized by the formation of kaolinite or even of halloysite. The element migrations characterizing these reactions are well observed in the changes of the intensities of the spectral lines of Li, Al, P, Ca, Mg, Mn, Fe, Sr, Sn, Cu, and Pb, in the different zones of replacements.

W. Bltel

GINZBURG, H.I.

2

USSR

Sicklerite. A. I. Ginzburg. *Trudy Mineral. Muzeya, Akad. Nauk S.S.S.R.* 1: 86-95 (1960).—Pegmatitic triphylite, $\text{Li}(\text{Fe}^{\text{II}}, \text{Mn}^{\text{II}})\text{PO}_4$, is replaced in Swedish occurrences (Varuträsk) to ferrisicklerite, $\text{Li}(\text{Fe}^{\text{III}}, \text{Mn}^{\text{II}})\text{PO}_4$, and heterosite, $(\text{Fe}^{\text{III}}, \text{Mn}^{\text{II}})\text{PO}_4$, in the same way as lithiophilite. $\text{Li}(\text{Mn}^{\text{II}}, \text{Fe}^{\text{III}})\text{PO}_4$ is replaced by Mn sicklerite, $\text{Li}(\text{Mn}^{\text{II}}, \text{Fe}^{\text{III}})\text{PO}_4$, and purpurite, $(\text{Mn}^{\text{II}}, \text{Fe}^{\text{III}})\text{PO}_4$. Sicklerite occurs also in Li pegmatites of the Kalbina Chain and, in Middle Asia, in thin layers between triphylite and heterosite. Another Russian occurrence is in spodumene pegmatite, where sicklerite is included in green apatite. Single crystals are not observed; color is brown-black, luster greasy; one distinct cleavage, and one poor, perpendicular to the other; hardness about 4; d. 3.21-3.23. The elongation is neg., extinction parallel, pleochroism variable in brown and yellow colors; $2V = 14-25^\circ$, with strong dispersion $r < v$; $n_\alpha = 1.716$; $n_\beta = 1.732$; $n_\gamma = 1.759$. The Russian sicklerite contains 27.23% MnO and 17% FeO, i.e. it is Mn sicklerite, derived from lithiophilite, similar to the occurrence of Brijarvi, Finland. The theoretical formula, derived from 6 analyses, is $(\text{Li}_2\text{O} \cdot 3\text{MnO} \cdot \text{P}_2\text{O}_5)_{0.5-1} \cdot (\text{Fe}_2\text{O}_3 \cdot \text{P}_2\text{O}_5)_1$, with the ratio $\text{MnO}:\text{Li}_2\text{O} = 2:1$; but normally this ratio is larger, because purpurite and heterosite are intergrown on cleavage cracks in sicklerite, or even hydroheterosite and hydrated $\text{Fe}^{\text{III}}\text{-Mn}^{\text{II}}$ phosphate gels have been formed. The ratio $\text{Fe}_2\text{O}_3:\text{MnO}$ also varies in wide limits in the sicklerite compn., while the sums of R_2O (0.13-0.18), $(\text{RO} + \text{R}_2\text{O}_2)$ (0.62-0.67), and P_2O_5 (0.30-0.31) are rather const., corresponding to the formula $\text{Li}_2\text{O} \cdot (\text{RO} + \text{R}_2\text{O}_2) \cdot 2\text{P}_2\text{O}_5 \cdot \text{H}_2\text{O}$. The occurrence of sicklerite is most frequent in albite, assoc. with dark-colored apatite and spessartite. The paragenesis is in spodumene pegmatites characterized by the replacement of spodumene by triphylite (or lithiophilite).

and sicklerite, and simultaneously by albite (cleavelandite). The intergrowths in Mn apatite are sometimes graphic or with parallel-oriented needles. When Li, Cu, Fe, Mn, and P are present together in a pegenite, Ca and Li are never assoc. in the same mineral, but either Mn with Ca in Mn apatite + triphylite or lithiophilite; or graptolite (Fe, Mn, Ca)₃(PO₄)₃ + triphylite. The transition of sicklerite into purpurite (of violet color, with exceedingly strong pleochroism) is also very characteristic on cleavage cracks and on edges. Purpurite has n_D above 1.78; 2V is large. The x-ray diffraction diagrams show that "purpurite" is often not homogeneous, but a mixt. of sicklerite + purpurite is proper.

W. Eitel

DC 224

1ST AND 2ND GROTES																										PROCESSING AND PROPERTY																										3RD AND 4TH GROTES																									
1026																																																																													
ON HOLMQUISTITE. A. I. Ginsburg and I. V. Ginsburg.																																																																													
Doklady Akad. Nauk S.S.S.R. 74, 1119-22(1950) Oct. 31. (In Russian)																																																																													
<p>The lithium-containing amphibole holmquistite has been found in two localities only, one in Sweden and another in North Carolina (Palache et al., Am. Mineral. 15, No. 8 (1930), Sandius, Geol. Fören. (Stockholm Fören. 66, No. 1 (1947)). The occurrence of this mineral in U.S.S.R. in a spudumene</p>																																																																													
<p>(lithium pyroxene)-bearing site in a gabbro-anorthosite massif is reported here. It forms groups of very elongated crystals (up to 2 cm long) both in the interior zone of pegmatitic bodies and in the surrounding rock, often as far as several dozen yards from the pegmatite. The contact action of the spudumene-bearing body on the surrounding basic rock results in the formation of lithium-containing biotites in the vicinity of the contact, and in a replacement of hornblende by holmquistite farther away. This circumstance may have a considerable prospecting value; the finding of a single needle of holmquistite in a basic formation should indicate the presence of rare-metal-bearing pegmatites of the lithium type.</p>																																																																													
A.S.S.S.R. METALLURGICAL LITERATURE CLASSIFICATION																																																																													
SOURCE: S.S.S.R.																										SOURCE: U.S.S.R.																										SOURCE: U.S.S.R.																									
1026																																																																													

Ginzburg, A.I.

USSR

2

Vilateite, the manganese phosphosiderite. A. I. Ginzburg. *Trudy Mineralog. Muzeya, Akad. Nauk S.S.S.R.* No. 2, 126-8 (1950).—The paragenesis of vilateite (I) with heterosite and hureaulite-angelardite has been previously described by Lacroix, *Minéralogie de la France et de ses Colonies* 1910, Vol. IV, p. 477 (C.A. 5, 853), but he confused the violet-colored crystals of monoclinic I with orthorhombic strengite. McConnell (C.A. 35, 2820¹) classified I in the group of phosphosiderite ($\text{FePO}_4 \cdot 2\text{H}_2\text{O}$), as practically identical with this mineral. New observations of hureaulite in flesh-red aggregates replacing triphylite (from the Kalbinsk Chains) demonstrated its near paragenetic relation with violet I crystals of 0.5-1.5 cm. in diam., elongated parallel a , and grown with (101) on the walls of cavities. The nearly isometric, monoclinic crystals show (101), (010), (011), (001), less frequently (110), like phosphosiderite from Kieuzberg, Bavaria. The crystals are transparent, with $n_a = 1.693$; $n_b = 1.723$; $n_c = 1.733$; $2V = 30^\circ-45^\circ$, with very strong dispersion $r < v$; elongation neg.; angle $c:a = 2^\circ$. The spectral analysis showed Fe and Mn with strong lines, Ca moderate. The only distinction from phosphosiderite is its MnO content which justifies classifying I as an independent mineral of the compn. $(\text{Mn}, \text{Fe})\text{PO}_4 \cdot 2\text{H}_2\text{O}$. W. Eitel

170 Jan

Ginzburg, A.I.

USSR

Landesite. A. I. Ginzburg. *Trudy Mineralog. Mus. Akad. Nauk SSSR*, 123-36 (1950).—Excellent crystals of landesite (cf. Bernan and Conyer, C.A. 25, 1767), with perfect cleavage parallel (010), are described from pegmatites of the Kalkinsk Chalks and from Turkestan, of the chem. compn. $3\text{Fe}_2\text{O}_3 \cdot 20\text{MnO} \cdot 8\text{P}_2\text{O}_5 \cdot 27\text{H}_2\text{O}$, which are formed by the oxidation of reddish-brown (Mn, Fe) P_2O_5 \cdot $3\text{H}_2\text{O}$. Landesite is a typical replacement mineral of primary triphylite which is often preserved amidst zoned replacement products (Fe Mn phosphates). Landesite appears among hutchinsonite, stewartite, and rockbridgeite. The mineral forms radial-acicular aggregates and crusts, of brownish tile-red color on the surface, darker brown to black in the interior, with a very characteristic velvet-like luster. Hardness 2; $\alpha = 1.718-1.723$; $\beta = 1.728-1.732$; $\gamma = 1.732-1.738$, with pleochroism in brown and yellow-brown colors; elongation pos., extinction parallel; optically biaxial, neg. Thin veinlets of dahlite often swarm through the landesite aggregates. W. Eitel

cc RSW

Orychikrenite, a new mineral of the iron-manganese aluminum phosphate group. A. I. Ginzburg and N. V. Voronikova (Mineral. Musel, "Akad. Nauk S.S.S.R.", *Doklady Akad. Nauk S.S.S.R.* 71, 145-8(1950). Blue and brown phosphate nodules with triphylite occur in quartz pegmatite of the Kallina Mts. (R. Kazakhstan), which contain an unknown prismatic mineral, of reddish brown color, hardness 3.5 to 4; $d. 3.205-3.215$ (av. 3.22). Perfect cleavage of the orthorhombic crystals (011), less perfect (010). Optical orientation $a = c$; $\gamma = b$; slightly pleochroic, with γ brownish yellow, a pale-yellow, $2V = 30-33^\circ$; dispersion $\rho < 0$; $\alpha = 1.703$; $\beta = 1.706$; $\gamma = 1.720$; $\gamma - \alpha = 0.026$. Particular care was given in the chem. analysis to the detn. of MnO and Mn_2O_3 ; the results, however (4.47% MnO ; 8.71% Mn_2O_3), are not entirely conclusive since the Fe could only be detd. as Fe_2O_3 (18.53%). The derived chem. compn. is $(Mn, Ca, Mg)_3O_{10} \cdot (Fe, Mn)_2O_3 \cdot 2Al_2O_3 \cdot 2P_2O_5 \cdot 7H_2O$; this formula is remarkably similar to that of chikrenite: $4(Fe, Mn) \cdot 0.2Al_2O_3 \cdot 2P_2O_5 \cdot 8H_2O$, and the new mineral is only distinguished by trivalent Fe and Mn, and a slightly lower H_2O content. The secondary origin of this "orychikrenite" is evident through pseudomorphs, which show the transition from chikrenite, beginning from the peripheral parts of this mineral. The x-ray diagrams of both minerals are very similar, although different in details. Orychikrenite is easily decompd. to a mixt. of limonite with dark Mn minerals (pallomelane, pyrolusite), and a hydrous Al phosphate (vashegite). W. Eitel

GINZBURG, A. I.

FR 10710

USSR/Minerals - Phosphates

1 Jun 50

"New Mineral of the Phosphate Group," A. I. Ginzburg,
Mineralogical Mus, Acad Sci USSR

"Dok Ak Nauk SSSR" Vol LXXII, No 4, pp 763-766

Describes new mineral discovered in 1947 and named Kryzhanovskit after Prof V. I. Kryzhanovskiy, Russian mineralogist. Mineral belongs to group of basic hydrous phosphates in which iron is present in form of Fe_2O_3 , and almost all manganese in form of MnO . Formula of mineral: $1.16\text{RO} \cdot 0.87\text{Fe}_2\text{O}_3 \cdot \text{P}_2\text{O}_5 \cdot 2\text{H}_2\text{O}$, where $\text{R} = \text{Mn, Ca, Mg}$. Kryzhanovskit is typical mineral of oxidation zones of pegmatitic veins containing triphylite and represents modification of latter phosphate. Submitted by Acad D. S. Belyankin.

165736

GINZBURG, A. I.

U S S R

Triphylite in pegmatites of the Kalbansk Range and the replacement reactions in triphylite. A. I. Ginzburg. *Trudy Mineralog. Muzeya Akad. Nauk S.S.S.R.* No. 3, 37-72 (1961). The pockets in which triphylite, $\text{Li}(\text{Fe}, \text{Mn})\text{PO}_4$, is found in the pegmatites are typically differentiated in their mineral associations and indicate a succession of chem. replacement reactions. The occurrence is in strongly albited pegmatite veins which have been changed by weathering and oxidation to a depth of more than 7 m. The primary triphylite is intimately intergrown with cleavelandite, blue tourmaline, and Mg apatite. This triphylite is only observed as relict nodules or in larger ovaloid pockets of sometimes up to 50-60 cm. in diam. in the better preserved central parts of the pegmatite veins in greater depths. Spodumene occurs in the pegmatite, often in gigantic crystals, as do microcline, and amblygonite as regular constituents of the normal rock. Fresh crystals of triphylite are rare, but pseudomorphs of hydrated phosphates (heterosite) after triphylite occur up to 12 cm. in length, with the forms (001), (010), (110), (120), (101); $\rho = 1.076$; $\gamma = 1.682$; $\alpha = 1.674$; 2V small (below 10°), dispersion $v > r$, optically pos. The chem. analysis shows FeO 27.25, MnO 16.60, MgO 1.30, Li₂O 7.11%; the replacement of $\text{Mg}^{++} \rightleftharpoons \text{Li}^+$ is characteristic for the isomorphism in the triphylite-lithiophilite series. Multiple zoning of the nodules (pockets) is characteristic; triphylite relicts appear only in the central cores, then assoc. with vivianite, $3(\text{Fe}, \text{Mn})\text{O}_2 \cdot 2\text{P}_2\text{O}_5 \cdot 8\text{H}_2\text{O}$, and palatite, $8(\text{Fe}, \text{Mn})\text{O}_2 \cdot 3\text{P}_2\text{O}_5 \cdot 3\text{H}_2\text{O}$ (with $d = 1.660$; $\rho = 1.664$; $\gamma = 1.658$), and inclusions of sulfide ores (pyrite, marcasite, sphalerite, arsenopyrite, and chalcopyrite). A dark green zone immediately around the cores contains only

CH
GP
1/3

(over)

A. I. GINZBURG
 triphylite relics, but psalite is dominant, with yellow hues of
 lita, and sulfides. In red-brown spots, hurvaulite, $3(\text{Mn}, \text{Fe})\text{O} \cdot 2\text{P}_2\text{O}_5 \cdot 6\text{H}_2\text{O}$, is associated with Zn rockbridgeite, Lindberg
 and Fremdel, C.A. 47, 7378; F. (C.A. 43, 1487e), and sul-
 fides with limonite caps. The next dark-brown zone of
 the pockets shows sickleite, $\text{Li}_2\text{O} \cdot 4(\text{MnO} + \text{FeO}) \cdot 2\text{P}_2\text{O}_5$,
 and the new mineral kryzhanovskite (I), $\text{MnO} \cdot \text{Fe}_2\text{O}_3 \cdot$
 $\text{P}_2\text{O}_5 \cdot 2\text{H}_2\text{O}$; kramackite, $\text{Fe}_2\text{O}_3 \cdot \text{P}_2\text{O}_5 \cdot 6\text{H}_2\text{O}$; lanosite, 20 -
 $\text{MnO} \cdot 3\text{Fe}_2\text{O}_3 \cdot 8\text{P}_2\text{O}_5 \cdot 27\text{H}_2\text{O}$, brown rockbridgeite, while the
 sulfide ores are replaced by limonite and scorodite, $\text{FeAsO}_4 \cdot 2\text{H}_2\text{O}$.
 The surrounding black zone contains hetero-
 site, $(\text{Fe}, \text{Mn})\text{O}_2 \cdot \text{P}_2\text{O}_5$, hydrohelenite, $(\text{Fe}, \text{Mn})\text{O}_2 \cdot$
 $\text{P}_2\text{O}_5 \cdot 3\text{H}_2\text{O}$, gel minerals of hydrated $\text{Fe}(\text{III})$ and $\text{Mn}(\text{II})$,
 phosphates, limonite and scorodite (from the sulfides).
 The exterior parts of the pockets are chalcedony-like, cavern-
 ous, with rims of 0.2-1.0-cm. thickness of labillite, limon-
 ite, and psilomelane. The chem. reactions corresponding
 to these multiple and very characteristic zones are clearly
 understood: (1) in absence of oxidation reactions first a
 hydrolysis of triphylite which leaches away the Li^+ from
 this mineral, and newly formed vivianite and psalite. Fe
 and Mn are expd. from each other in the hydrated phos-
 phates; (2) the oxidation of the primary sulfide ores
 brings about ZnSO_4 solns. which react with the hydrated

A.I. GINZBURG

phosphates to form triphylite. (3) The progressive oxidation of triphylite and of the other phosphates brings about Fe_2O_3 and Mn_2O_3 phosphate hydrates (cf. Mason, C.A. 35, 6539). This change is evident in the replacement of palatite by huraulite (= slightly oxidized palatite), sicklerite, etc., and later of these by heterosite and gels of ferric and manganese phosphates. Psilomelane and FeO nodules are formed, with progressive leaching away of the $[\text{TiO}_4]^{4-}$ anions. (4) These phosphate nodules react with Ca^{++} and $[\text{CO}_3]^{2-}$ ions in solution, and form the characteristic rims of dahllite which cover the nodules with all their multiple zonings. I is identified by its optical properties: $\gamma = 1.82 \pm 0.02$; $\alpha = 1.79 \pm 0.02$; $2V = 40-5^\circ$, optically positive, dispersion extraordinarily strong $r < v$. Extinction angle between the trace of a nearly perfect cleavage = 0° ; a second cleavage perpendicular to the perfect one is rather poor. Pleochroism is strong, with yellow-brown and deep-brown colors, interference colors are always highly anomalous, in deep-green colors. W. Bittel.

3/3

USSR

Childrenite. A. Y. Ginzburg. *Trudy Mineral. Muz. SSSR*, No. 3, 133-5 (1951). — The occurrence of childrenite is described from albitized pegmatite veins of the Kallinsk Charns; it is associated with a peculiar deep-blue apatite in crystals 0.01-0.1 mm., with a characteristic but irregular pleochroism from blue to colorless, slightly biaxial, with strong dispersion $r < v$; $n_{\alpha} = 1.620$; $n_{\beta} = 1.644$. Childrenite in flattened crystals 5-7 mm. size with the forms {100}, {110}, {010}, {111}, {121}, rare {001}; elongated in the c-axis, the faces of the {001} zone strongly striated. Color brownish to pale-yellow; cleavage parallel {100} excellent; hardness 3-3.5; d. 3.13; orientation $c \approx \gamma$; $b \approx \alpha$. Optically near; $2V = 5^{\circ}-10^{\circ}$; very strong dispersion $r < v$; $\gamma = 1.642$; $\beta = 1.646$; $\alpha = 1.636$. Chem. analysis shows the compr. $2(\text{Fe,Mn})\text{O} \cdot \text{Al}_2\text{O}_3 \cdot \text{P}_2\text{O}_5 \cdot 4\text{H}_2\text{O}$ with 10.7% FeO , 13.3% MnO . There is a continuous isomorphous series with eschschornite, the Mn end member. Childrenite is easily oxidized to "oxychildrenite," pseudomorphs after childrenite (cf. C.A. 44, 9306c). W. Eitel

GINZBURG, A. I.

188T47

USSR/Geophysics - Coal, Humus

Jul/Aug 51

"Petrographic Varieties of Humus Coal," A. I. Ginzburg

"Iz Ak Nauk SSSR, Ser Geol" No 4, pp 81-98

On the basis of personal observations and perusal of written sources, Ginzburg attempts to classify the humus homogeneous and striated coals and to reveal their paragenetic connection according to number of criteria and indications. Shows how the gradual variation of the quan ratios of microscopic elements and the degrees of metamorphism are reflected in certain industrial properties of coals, particularly in their ability to coke.

LC

612
188T47

CA

Magnesiotriplite, a new mineral of the triplite group. A. I. Ginzburg, N. A. Kruglova, and V. A. Moleva. *Doklady Akad. Nauk S.S.S.R.* 77, 97-100 (1951).—The new mineral, observed in large masses occurring in microcline-muscovite pegmatites of the Turkestan Ridge that occur with Mg-rich sediments, entirely replaces apatite. It had previously been confused with apatite because of its reddish brown color. In middle-granular masses or coarse-matrix veins and it is intimately associated with quartz, tourmaline (dravite), and muscovite. Also irregular nodules occur in albitized portions of the veins with triphylite and headlenite $[\text{Na}(\text{Fe}, \text{Mn})(\text{PO}_3)_2]$. Magnesiotriplite is monoclinic with rough prism faces, but distinct crystals are extremely rare. It has a glassy luster, uneven fracture, hardness 4, and density 3.67. Cleavage observed under the microscope in one direction α includes with α an angle of about 18° ; a 2nd imperfect cleavage is perpendicular to α . Orientation $b = \gamma$, pleochroism weak, $\gamma = \text{wine-yellow}$, $\alpha > \beta$. The optical character is pos., $2V = 60^\circ$, with strong dispersion $r > v$, and anomalous blue and brown interference colors, $\alpha = 1.641$, $\beta = 1.649$, $\gamma = 1.661$, and $\gamma - \alpha =$

0.020. The chem. formula is $4(\text{Fe}, \text{Mg}, \text{Mn})(\text{PO}_3)_4 \cdot 3(\text{Fe}, \text{Mg})\text{F}_2$, with FeO 25.9, MnO 13.0, and MgO 17.1%. The mineral is therefore similar to talktriplite (described by Igelström (1893)) and another described by Hurlbut (C.A. 31, 2656); the new mineral is, however, in some details different from talktriplite and triplite proper, e.g. by the absence of CaO and the ratio of MnO:FeO which in magnesiotriplite is only 1:2 but particularly higher in the other cases. Additionally, the ratio $R_2(\text{PO}_3)_4 : R(\text{F}, \text{OH})_2$ is not 1:1 as in triplite but accurately 4:3. Also the x-ray powder diagrams are different in details. Talk. may replace MgF_2 in magnesiotriplite. The pegmatitic paragenesis of magnesiotriplite with tourmaline-dravite and its intense replacement by albite is highly characteristic; an intermediate reaction zone with headlenite is observed with associated arctopyrite. This reaction is combined with the crystn. of excess SiO_2 as quartz and muscovite, while FeO and MnO enter headlenite and blue tourmaline, surrounding black tourmaline. W. K.

MINABONG, A.I.

MINABONG, A.I.

Phosphates in granitic pegmatites. Trudy Min.muz. no.4:36-63 '52.
(Phosphates) (Pegmatites) (MLBA 7:11)

GINZBURG, A. I.

Fairfieldite from pegmatites of the Turkestan Ranges.
A. I. Ginzburg. *Trudy Mineralog. Muzeya, Akad. Nauk*
S.S.S.R. No. 4, 129-32 (1952). — Fairfieldite, (Ca,Mn,Fe)
(PO₄)₂H₂O, occurs in highly albitized Li pegmatite veins
of the northern slope of the Turkestan Range, in natrolite-
like radial-acicular crystal aggregates; it was similarly de-
scribed in this form from Hagendorf-Hühnerkobel, Bavaria
(first as wavellite by Gumbel). In the Turkestan occur-
rence, the fairfieldite is paragenetically related to cleve-
landite and triphylite, in a typical late-pegmatitic facies.
The optical data are very similar to those previously given
for fairfieldite by Larsen and Berman (cf. Berman and
Gonyer, C.A. 25, 1707). W. Eitel

GINZBURG, A. I.

Mn triplite from pegmatites of the Turkestan Range.
A. I. Ginzburg and N. A. Kruglova. *Trudy Mineralogicheskogo Akad. Nauk S.S.S.R.* No. 4, 132-0(1952).—Among the pegmatitic minerals which are generally remarkably low in P, but high in hydroxyl, triplite (with 6% F) is an exception, and the newly described, nearly pure Mn triplite also contains 4 to 9% F. The mineral occurs in intimate intergrowths with cleavelandite, lepidolite, amblygonite, and Mn apatite. Its color is rose-pinkish, similar to that of rhodochrosite, with a good cleavage and somewhat fatty luster; hardness 4 to 4.5; d. 3.82. It is not pleochroic; 2V is very large dispersion $r > v$, optical character pos.; angle β : cleavage trace = 20°. The spectral analysis shows strong lines of Ca, Mn, and P, rather strong lines of Al, Mg, Fe, and Si; a weak Zn line, and a trace of Ti. The chem. analysis shows, in comparison with other triplites, higher CaO and lower MgO, while for FeO the conditions are reversed. The P content varies from 4 to 9%. In the Mn triplite of Turkestan the FeO is particularly low (1.44%), similar to that from Transbaikalia and Kazakhstan which is assoc. with sulfides and rhodochrosite. The genetic conditions show that Fe triplite is an early and Mn triplite a very late mineral in Li pegmatites. Mn triplite is often replaced by graphite (like in the Black Hills, near Rapid City, S. Dakota); a considerable enrichment in P_2O_5 , Al_2O_3 , Na_2O , and Li_2O , but a reduction in MnO and F, is characteristic for this change. Amblygonite and Mn apatite may be found outside the graphite in which F is enriched again. These processes are related to the intense albitization.

W. Rittel

Graphite in the pegmatites of the Turkestan range. A. I. Ginzburg. *Doklady Akad. Nauk S.S.S.R.* 84, 1041-3 (1962); *U. S. J. Geol.* 40, 6369. Graphite was observed in the Turkestan range in the form of nodules up to 5 cm. in diam. together with mangiferous triplite, apatite, amphibole, and muscovite in albited pegmatite. No crystals were seen. The hardness, d_{100} and n were 5.5, 3.01, and 1.668, resp. The tabulated corpn. corresponded to the formula $\text{Na}_{4-6}(\text{Mn}, \text{Ca})_{2-4}\text{Al}_2(\text{PO}_4)_2(\text{F}, \text{OH})_{2-4}$. Tabulated interplanar distances, detd. by means of a Debye-Scherrer diagram, agreed with literature data. Upon heating, the rate of increase of temp. reached a max. value at 480° and a pronounced min. at 850°, as shown graphically. J. W. Lowenberg, Jr.

7/27
5:55

GINZBURG, A.

USSR

Manganese phosphates, pegmatites. A. I. Ginzburg, Topnoy Petrog. i Mineral. Abad. Nauk SSSR 1969, 1970. The phosphates never are developed in large amounts in the late stages of pegmatite mineralization. All of the phosphates which are observed in pegmatites can be classified either as primary crystals from melts and fluid solution, or as secondary products of changes in the chemical composition of the primary phosphates. The units in which secondary phosphates are observed are usually large while those of the primary phosphate minerals are limited. The primary phosphates in Na-Li pegmatites are triphylite, lithiophilite, tripilite, apatite, and amblygonite or graptolite, all formed relatively early, and usually subjected to replacement processes. Hydrothermal reactions, e.g. by albitionization, are observed as in a peripheral alteration of triphylite; also typically supergene reactions have formed many of the secondary phosphates. They are derived from the primary minerals by hydration and oxidation reactions. In many pegmatite deposits, e.g. of Ak-Kezen (Kalkbush Range), an oxidation zone is developed.

2

(over)

USSR.

✓ Composition and chemical constitution of lithium micas.
A. I. Olshburg and S. I. Berkhin. Trudy Mineralog.
Acad. Sci. USSR, 5, 90-131 (1953).—Many of
 the lepidolites that occur in pegmatites were formed by the
 metasomatic replacement of biotite or muscovite, with re-
 placements such as $3Al$ by $Li + 2Si$ or of $2Mg$ by $Li + Al$.
 Chem. analyses of the Li micas are plotted in various ternary
 diagrams and correlated with optical properties and x-ray
 data. The distribution of minor elements, detd. by spectro-
 graphic analyses, is discussed, with special reference to their
 zoning in the transition biotite to lepidolite. W. Rittel.

GINZBURG, A. I., and MATIAS, V. V.

"Eosphorite From the Pegmatites of East Transbaikal"
Tr. Mineralogich. Muzeya AN SSSR, 1953, 5, 161-165

The authors describe eosphorite, first encountered in the territory of the USSR in a pegmatite vein in East Transbaikal, within hollows in albite, quartz and muscovite in the form of solid masses and crystals with forms (11) and (121). Eosphorite changes easily under hypergenetic conditions. (RZhGeol, No 3, 1954)

SO: W-31187, 8 Mar 55

Ginzburg, A. I.

2

✓ Cookite, a lithium chlorite mineral. A. I. Ginzburg, Doklady Akad. Nauk S.S.S.R. 60, 871 (1969). Chem. analyses and crystallochem. formulas are given for cookite samples from the Kallin Range (Kazakhstan), Ivavka (Ural), Hebron and Buckfield (Maine), and Varutrask (Sweden). The approx. compn. is $\text{LiAl}_2(\text{Si}_2\text{AlO}_6)(\text{OH})_2$; this shows the analogy to kaolinite, $\text{Al}_2(\text{Si}_2\text{O}_5)(\text{OH})_4$. The cookite from Varutrask shows a transition between both minerals. As a member of the chlorite group, the cookite is characterized by the isomorphous coupled replacement of 2Mg^{2+} by $\text{Li}^+ \cdot \text{Al}^{3+}$. The genesis of cookite is characterized by late-hydrothermal reactions with primary spodumens and lepidolite; the assocn. of quartz with cookite in late pegmatite veins is typical. Optical consta.: $\gamma = \alpha$ varying between 0.017 and 0.020; γ variable between 1.534 and 1.597, α variable between 1.505 and 1.570; pos. Altered cookites show lower α s, e.g., from Varutrask: $\gamma = 1.567$; $\alpha = 1.553$ ("hydrocookeite"). The differential-thermal curves show a very characteristic endothermic peak (dehydration) starting at 400° to 520° , with a max. at 580° to 650° , and an exothermic effect at 820° to 870° . The altered material shows an early dehydration at 150° . The common chlorite peak (endothermic) at 730° is absent. The x-ray powder diagram makes the chlorite type of cookite

evident, but the $d(\text{Hk})$ data are smaller: $d_1 = 5.13 \text{ \AA}$; $d_2 = 8.93 \text{ \AA}$; $d_3 = 23.3 \text{ \AA}$; $\beta 60^\circ$. "Hydrocookeite" is similar to kaolinite and nacrite. W. Eitel

Ginzburg, H.I.

Cesium-spodumene. A. I. Ginzburg and O. V. Kosenov.
Doklady Akad. Nauk S.S.S.R. 91, 1263-6 (1953). - 2 samples
of spodumene similar to those reported by Quenel (*Chim.*
32, 692?) were analyzed. It is shown that diaspodumene
or cesium-spodumene (the latter is given by Quenel as
contg. Cs_2O and its formula as $\text{CsAl}(\text{SiO}_3)_2$) are nothing more
than spodumene contg. some impurities. Spodumene is
easily replaced by pollucite and the inclusions of SiO_2 remain.
Such a myrmekite is considered as the circumstance which

misled Quenel who apparently had pollucite contaminated
with material contg. Cs_2O . I. S. Joffe

GINZBURG, A.I.

2

✓ Oxidation processes of iron phosphates in granite pegma-
tites. A. I. Ginzburg. *Trudy Mineralog. Muzeya, Akad.
Nauk SSSR*, 1964, No. 6, 40-70. -- From the study of the
various oxidation states of Fe in triphylite-lithiophilite,
mangano-sicklerite, sicklerite, ferrisicklerite, phosphoherrite,
reddingite, graustunite-magnitophyllite, triphite, fairfieldite,
ludhamite, and lazulite, a general formula was derived, $R_2^{+}R_3^{++}R_4^{+++}(XO_4)(OH)_x \cdot nH_2O$ (where R^+
is Li, Na, or occasionally H, R^{++} is Fe⁺⁺, Mn, Mg, Zn,
and other bivalent cations, R^{+++} is Al, Fe⁺⁺⁺, or B, and
X is P or As, and seldom S or Si) to express the compn. of
phosphate minerals. The formula agreed well with the
data reported in the literature. 16 references. A. P. X.

PM

GINZBURG, A.I.

Geo

✓ Petalite from pegmatites of eastern Transbaikalia. A.I. Ginzburg and N. S. Gushchina. *Trudy Mineralog. Muzeya Akad. Nauk S.S.S.R.*, 1954, No. 6, 71-85. Three petalite varieties are described. Petalite I occurs in large angular masses (up to 16-20 cm. in length) in association with microcline, quartz, microcline, and apatite. It has sp. gr. 2.341-2.310 and contains SiO_2 75.67, Al_2O_3 15.29, Fe_2O_3 1.30, FeO 1.28, CaO 0.80, MgO 0.27, Li_2O 3.60, K_2O + Na_2O 1.02, H_2O 1.07%. Its color is yellow to yellowish, the latter variety exhibiting strong Ba lines in its spectrum. Petalite II occurs in typically smaller, colorless-to-white crystals, sp. gr. 2.327-2.328. It is richer in Li_2O (4.18%), and much poorer in FeO , CaO , K_2O + Na_2O , and H_2O . It occurs with microcline, in epidomene soln. cavities. Petalite III consists of colorless needles which occur along cracks in microcline. Its sp. gr. is 2.391-2.395 and it is chemically quite similar to Petalite II. Petalite is converted to heulandite by reaction with CaO . The by-product Li_2O appears in the mineral cookite, which is invariably present in these petalite deposits. The action of Me_2O on petalite forms kersolite, quartz, and cookite. Petalite and related minerals may be converted naturally to montmorillonite.

2

GINZBURG, A. I.

USSR/Chemistry - Geochemistry

Card 1/1 : Pub. 22 - 17/41

Authors : Ginzburg, A. I.

Title : About minerals - geochemical indicators and their values during exploration of rare metal ores in pegmatites

Periodical : Dok. AN SSSR 98/2, 233-235, Sep 11, 1954

Abstract : Scientific data on certain minerals: tourmaline, indigolite, verdelite, and schorl, which in many cases serve as geochemical indicators of the presence of searched-for rare-metal ores and other scattered elements, are presented. Tourmaline was found to be a highly sensitive indicator reacting to the processes occurring in pegmatites. The color of tourmaline is due to its various contents of Fe_2O_3 and Mn_2O_3 and is therefore considered as an indication of the presence of FeO and MnO in the pegmatite. Seven USSR references (1937-1953).

Institution : Academy of Sciences USSR, Mineralogical Museum

Presented by : Academician D. I. Shcherbakov, March 9, 1954

GINZBURG, A.I.

Mineralogical and geochemical characteristics of lithium pegmatites.
Trudy Min.muz. no.7:12-55 '55. (MLBA 9:5)
(Pegmatites)

GINZBURG, A.I.

Chemical composition of beryl. Trudy Min.muz. no.7:56-69 '55.
(Beryl) (MLRA 9:5)

(MLRA 9:5)

(Beryl)

GINZBURG, A.I.

A new mineral from a brittle mica group. Trudy Min.muz. no.7:
70-75 '55. (MLRA 9:5)

(Mineralogy)

GINZBURG, A.I.

"Lithionite." Trudy min.muz. no.7:169-170 '55.
(Lepidolite)

(MLRA 9:5)

GINZBURG, Anna Il'inichna; IVANOVA, Antonina Ivanovna; SHABAROV, N.V., red.;
ROSSOVA, S.M., red.izdatel'stva; GUROVA, O.A., tekhn.red.

[Conditions of sediment accumulation and coal formation in the
eastern Fergana (Uzgen) coal basin] Usloviia osadkonakopleniia i
ugleobrazovaniia v Vostochnoferganskom (Uzgenskom) ugol'nom basseine.
Moskva; Gos.nauchno-tekhn.izd-vo lit-ry po geologii i okhrane neдр.
1956. 146 p. (Leningrad. Vsesoiuznyi geologicheskii institut. Trudy,
vol.14) (MIRA 10:10)

(Fergana--Coal geology)

GINZBURG, A.I.

1. Some characteristics of the geochemistry of tantalum and the types of tantalum mineralization. A. I. Ginzburg (A. B. Fersman Mineral. Museum, Acad. Sci. U.S.S.R., Moscow). *Geokhimiya* 1956, No. 3, 74-83.—A review. 21 references. *Gladys S. Macy*